



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/790,663	03/01/2004	Izydor Gryko	MSFT-2767/305783.01	9551
41505	7590	01/16/2009		
WOODCOCK WASHBURN LLP (MICROSOFT CORPORATION) CIRA CENTRE, 12TH FLOOR 2929 ARCH STREET PHILADELPHIA, PA 19104-2891			EXAMINER WANG, BEN C	
			ART UNIT	PAPER NUMBER
			2192	
			MAIL DATE	DELIVERY MODE
			01/16/2009	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/790,663	<b>Applicant(s)</b> GRYKO ET AL.	
	<b>Examiner</b> BEN C. WANG	<b>Art Unit</b> 2192	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7-12, 14-19 and 21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-12, 14-19, and 21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

***DETAILED ACTION***

1. Applicant's amendment dated September 30, 2008, responding to the Office action mailed April 30, 2008 provided in the rejection of claims 1-5, 7-12, 14-19, and 21, wherein claims 1, 8, and 15 have been amended.

Claims 1-5, 7-12, 14-19, and 21 remain pending in the application and which have been fully considered by the examiner.

Applicant's arguments with respect to claims currently amended have been fully considered but are moot in view of the new grounds of rejection – see *Gupta* - art made of record, as applied hereto.

***Claim Rejections – 35 USC § 101***

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

2. Claims 8-12 and 14 are rejected under 35 U.S.C 101 because the claims are directed to non-statutory subject matter.

3. **As to claims 28**, “A system for building an extensible project system comprising data for creating a project system ...a process configured to instantiate ... flavor object ...a process ... to signal ... a process ... to generate a flavored software development project system ... a process ... to generate a flavored base software development project configuration object ...” is being cited (underline emphasis added); however, it

Art Unit: 2192

appears that the system, the data, the processes (cited on paragraphs [0004] – [0006] in the specification) would reasonably be interpreted by one of ordinary skill in the art as computer listings per se, are not physical “things”. They are neither computer components nor statutory processes, as they are not “act” being performed. Such claimed computer programs do not define any structural and functional interrelationships between the computer program and other claimed elements of a computer which permit the computer program’s functionality to be realized.

In contrast, a claimed computer readable medium encoded with a computer program is a computer element which defines structural and functional interrelationships between the computer program and the rest of the computer which permit the computer program’s functionality to be realized, and is thus statutory. Accordingly, it is important to distinguish claims that define descriptive material per se from claims that define statutory inventions. See MPEP 2106.01(I)

4. **As to claims** 9-12 and 14, they do not cure the deficiency of base claim 8, and also are rejected under 35 U.S.C. 101 as set forth above.

#### ***Claim Rejections – 35 USC § 103(a)***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-5, 7-12, 14-19, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Leach et al. (Pat. No. US 6,412,020 B1) (hereinafter 'Leach') in view of Atul Gupta (*Building a Custom Project Wizard in Visual Studio .NET*, May 2003, *Infosys Technologies Limited*) (hereinafter 'Gupta' - art made of record) and Dardinski et al. (Pat. No. US 6,754,885 B1) (hereinafter 'Dardinski')

6. **As to claim 1** (Currently Amended), Leach discloses a method for building an extensible project system (e.g., Abstract, Lines 1-4 – the method aggregates an enclosed object within an enclosing object) comprising:

- providing a base software development project object comprising data for creating a software development project system (e.g., Col. 9, Lines 9-11 – enclosing an object within another object while exposing an interface of the enclosed object to client of the enclosing object; Col. 9, Lines 27-30 – to provide a method and system for enclosing objects wherein an enclosed object can itself be an enclosing object to an arbitrary level of enclosing; Col.9, Lines 45-46 – implementing controlling behavior over common functionality present in enclosed objects; Col. 10, Lines 9-13 – an enclosed object is implement with knowledge of the external interfaces of the enclosed object and has no knowledge of interfaces (other than the controlling object management interface; Col. 10, Lines 35-38 – during creation, a pointer to the enclosing multi-type object is passed to the

Art Unit: 2192

object to be enclosed to enable the enclosed object to communicate with the enclosing multi-type object) of the enclosing object or other enclosed objects);

- providing at least one flavor object comprising data for modifying said project system for a specific purpose (e.g., Col. 9, Lines 9-11 – enclosing an object within another object while exposing an interface of the enclosed object to a client of the enclosing object; Col. 9, Lines 13-14 – enclosing an object within another object after the enclosing object is instantiated; Col. 9, Lines 39-42 – supplying default functionality to objects by enclosing them within an enclosing object where an enclosed or enclosing object implements the default functionality; Col. 9, Lines 55-58 – the enclosed object has an object management interface and on or more external interfaces, while the enclosing object has a controlling object management interface); and
- creating a flavored project system adapted for said specific purpose by object aggregation using said base project object as a participating object and one of said at least one flavor objects as a controlling object (e.g., Col. 8, Lines 66-67 – a method and system for aggregating objects; Col. 9, Lines 4-7 – dynamically aggregating objects; statically aggregating objects; Col. 9, Lines 25-26 – implementing an aggregate object so that a client is unaware that the object is an aggregate; Col. 9, Lines 50-61 – the method aggregates an enclosed object within an enclosing object; each interface exposed to a client by the aggregate object has a query function member for receiving an identifier of an interface and for returning a reference to the identified interface; Col. 10, Lines 8-13 (static

Art Unit: 2192

aggregation), 17-24 (dynamic aggregation); Col. 10, Lines 24-30 – the multi-type object has an add interface function member, which can be used to aggregate interfaces by adding them to the enclosing multi-type object; the multi-type object also has an add object function member for aggregating all of the interface of an object; Col. 10, 34-47 – a preferred method invokes the add interface function member or the add object function member of the enclosing multi-type object passing it a reference to the created object implementing the interface to be aggregated; the query function member of the enclosing multi-type object is invoked in order to retrieve a reference to the interface that has been aggregated)

Further, Leach discloses that in dynamic aggregation, rules for determining to which interface to return a reference can be added to the enclosing object and used by the query function member of the controlling object management interface (e.g., Abstract) but does not explicitly disclose other limitations stated below.

However, in an analogous art of *Building a Custom Project Wizard in Visual Studio .NET*, Gupta discloses the followings:

- wherein the base project object implements a base project configuration object that includes configuration properties for the base project object, the configuration properties comprising at least one of an indication of a build of the project system, an output file to be created, or an indication as to where the output file will be placed (e.g., P. 3, Lines 11, 20 - *OutputPath*);

- wherein the at least one flavor object includes flavor-specific project configuration properties, wherein the at least one flavor object includes flavor-specific project configuration properties comprising at least one of a caption of a project node, an icon of a project node, a property allowing a project browse object to be completely overridden, a control allowing a project to be renamed, a sort priority control, a property allowing a command to be added, a property allowing a command to be removed, a property allowing a command to be disabled, a filter, a property allowing a default generator given a file extension to be determined, or a property allowing a human-readable generator name to be mapped to a COM object (e.g., Fig. 1 – Highlight of values set in the VSDIR file when opening a new C# project; P. 2, Bullet 3 - ... the display strings and the icon are loaded ...; Bullet 5 - ... to be registered for use with COM ... enable the configuration settings for this in the project build properties ...; Note - ... for the *RegisterForComInterop* setting ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Gupta into the Leach's system to further provide other limitations stated above in the Leach's system.

The motivation is that it would further enhance the Leach's system by taking, advancing and/or incorporating Gupta's system which offers significant advantages to extend Visual Studio to create a custom project type for new types of applications, or to enforce corporate standards as once suggested by Gupta (e.g., Summary)



Furthermore, Gupta discloses extending Visual Studio to create a custom project type for new types of applications, or enforcing corporation standards (e.g. Summary) but Leach and Gupta do not explicitly disclose other limitations stated below.

However, in an analogous art of *Methods and Apparatus for Controlling Object Appearance in a Process Control Configuration System*, Dardinski discloses the followings:

- signaling by the base project object to the at least one flavor object that the base project configuration object needs to be extended; and
- creating, by the at least one flavor object, a flavored base project configuration object, wherein at least one configuration property for the base project object is modified by a corresponding flavor-specific project configuration property (e.g., Col. 3, Lines 47-55 - the configurable objects of such an apparatus can be associated with one another in a hierarchical relationship, such that at least one such object is a descendant of another; descendants inherit parameters from their ancestors; inherited information may be overridden)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Dardinski into the Leach-Gupta's system to further provide other limitations stated above in the Leach-Gupta's system.

The motivation is that it would further enhance the Leach-Gupta's system by taking, advancing and/or incorporating Dardinski's system which offers significant

Art Unit: 2192

advantages that the configurable objects of such an apparatus can be associated with one another in a hierarchical relationship, such that at least one such object is a descendant of another; descendants inherit parameters from their ancestors; inherited information may be overridden as once suggested by Dardinski (e.g., Col. 3, Lines 47-55)

7. **As to claim 2** (Original) (incorporating the rejection in claim 1), Leach discloses the method where said at least one flavor object comprises at least a first flavor object and a second flavor object, and where said step of creating a flavored project system comprises: creating an intermediary object by aggregating said first flavor object as a controlling object and said base project object as a participating object; and creating a flavored project system by using said second flavor object as a controlling object and said intermediary object as a participating object (e.g., Col. 9, Lines 27-30 – to provide a method and system for enclosing objects where an enclosed object can itself be an enclosing object to an arbitrary level of enclosing).

8. **As to claim 3** (Original) (incorporating the rejection in claim 1), Leach discloses the method where said step of creating a flavored project system comprises allowing at least one interface of said base project to be modified by said flavor object (e.g., Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base

Art Unit: 2192

object by providing access to a new implementation of a previously defined interface of the enclosed base object)

9. **As to claim 4** (Original) (incorporating the rejection in claim 3), Leach discloses the method where said step of creating a flavored project system comprises allowing a value for at least one property stored in said at least one interface of said base project to be modified by a value for said at least one property stored in an interface of said flavor object (e.g., Col. 5, Lines 10-12 – the overriding virtual function can modify the state of the object in a way that affects non-overridden functions; Col. 9, Lines 1-2 – to provide a method and system for dynamically modifying object behavior; Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object; Col. 10, Lines 17-24 – an object can be modified dynamically by allowing interface instances, as implemented by objects, to be aggregated during the execution of a client program).

10. **As to claim 5** (Original) (incorporating the rejection in claim 1), Leach discloses the method where said step of creating a flavored project system comprises allowing at least one interface of said base project to be replaced by said flavor object (e.g., Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to

Art Unit: 2192

it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object)

11. **As to claim 7** (Previously Presented) (incorporating the rejection in claim 1), Dardinski discloses the method wherein said flavored base project configuration object (e.g., Col. 8, Line 57 through Col. 9, Line 2 - The *initFromTemplateStream* interface of an assembly object (i.e., a base project configuration object) has one method that controls the initialization of the assembly object from a passed stream; The initialization data is static configuration data along with the initialization data for assembly parameters. Other assembly data, such as ambient properties, can be passed to an assembly via a connection. The initialization data for the assembly parameters is passed in the steam and the static configuration data can be available through the class identifier of the assembly. The assembly can be customized through the parameters) includes an extender interface, said creation of a project system further comprising: providing an extender site object associated with said extender interface (e.g., Fig. 1 – illustrating an assembly object along with its connection to external entities; Col. 4, Line 52 through Col. 5, Line 20 – an external entity connects assembly-2 to assembly-3 by retrieving the reference to a connector of assembly-2 and requesting the connector to export the element identified by index “i1”, represented by plug102a. the external entity

Art Unit: 2192

then requests connector-3 of assembly-3 to connect assembly-2 through the connection identified by role "r1", represented by socket 103b)

12. **As to claim 8** (Currently Amended), Leach discloses a system for building an extensible project system (Abstract, Lines 1-4 – the method aggregates an enclosed object within an enclosing object) comprising:

- a process configured to instantiate a base software development project object comprising data for creating a project system (e.g., Col. 9, Lines 9-11 – enclosing an object within another object while exposing an interface of the enclosed object to client of the enclosing object; Col. 9, Lines 27-30 – to provide a method and system for enclosing objects wherein an enclosed object can itself be an enclosing object to an arbitrary level of enclosing; Col.9, Lines 45-46 – implementing controlling behavior over common functionality present in enclosed objects; Col. 10, Lines 9-13 – an enclosed object is implement with knowledge of the external interfaces of the enclosed object and has no knowledge of interfaces (other than the controlling object management interface; Col. 10, Lines 35-38 – during creation, a pointer to the enclosing multi-type object is passed to the object to be enclosed to enable the enclosed object to communicate with the enclosing multi-type object) of the enclosing object or other enclosed objects);
- a process configured to instantiate at least one flavor object comprising data for modifying said project system for a specific purpose (e.g., Col. 9, Lines 9-11 – enclosing an object within another object while exposing an interface of the

Art Unit: 2192

- enclosed object to a client of the enclosing object; Col. 9, Lines 13-14 – enclosing an object within another object after the enclosing object is instantiated; Col. 9, Lines 39-42 – supplying default functionality to objects by enclosing them within an enclosing object where an enclosed or enclosing object implements the default functionality; Col. 9, Lines 55-58 – the enclosed object has an object management interface and on or more external interfaces, while the enclosing object has a controlling object management interface); and
- a process configured to generate a flavored software development project system for said specific purpose by object aggregation using said base project object as a participating object and one of said at least one flavor objects as a controlling object (e.g., Col. 8, Lines 66-67 – a method and system for aggregating objects; Col. 9, Lines 4-7 – dynamically aggregating objects; statically aggregating objects; Col. 9, Lines 25-26 – implementing an aggregate object so that a client is unaware that the object is an aggregate; Col. 9, Lines 50-61 – the method aggregates an enclosed object within an enclosing object; each interface exposed to a client by the aggregate object has a query function member for receiving an identifier of an interface and for returning a reference to the identified interface; Col. 10, Lines 8-13 (static aggregation), 17-24 (dynamic aggregation); Col. 10, Lines 24-30 – the multi-type object has an add interface function member, which can be used to aggregate interfaces by adding them to the enclosing multi-type object; the multi-type object also has an add object function member for aggregating all of the interface of an object; Col. 10, 34-47 –

a preferred method invokes the add interface function member or the add object function member of the enclosing multi-type object passing it a reference to the created object implementing the interface to be aggregated; the query function member of the enclosing multi-type object is invoked in order to retrieve a reference to the interface that has been aggregated)

Further, Leach discloses that in dynamic aggregation, rules for determining to which interface to return a reference can be added to the enclosing object and used by the query function member of the controlling object management interface (e.g., Abstract) but does not explicitly disclose other limitations stated below.

However, in an analogous art of *Building a Custom Project Wizard in Visual Studio .NET*, Gupta discloses the following:

- wherein the base project object implements a base project configuration; object that includes configuration properties for the base project object, the configuration properties comprising at least one of an indication of a build of the project system, an output file to be created, or an indication as to where the output file will be placed (e.g., P. 3, Lines 11, 20 - *OutputPath*)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Gupta into the Leach's system to further provide other limitations stated above in the Leach's system.

The motivation is that it would further enhance the Leach's system by taking, advancing and/or incorporating Gupta's system which offers significant advantages to

Art Unit: 2192

extend Visual Studio to create a custom project type for new types of applications, or to enforce corporate standards as once suggested by Gupta (e.g., Summary)

Furthermore, Gupta discloses creating custom project template wizards in Visual Studio .NET but Leach and Gupta do not explicitly disclose other limitations stated below.

However, in an analogous art of *Methods and Apparatus for Controlling Object Appearance in a Process Control Configuration System*, Dardinski discloses the followings:

- wherein the at least one flavor object includes flavor-specific project configuration properties (e.g., Col. 12, Lines 7-17 - ... The Parameter Values in the Modifier Parameterized Objects are used to override the parameters of the Parameterized Object ...; Col. 14, Lines 15-37 - Parameter Override; Col. 39, Lines 19 through Col. 40, Line 56 – COM Architecture in IDA – this is a powerful tool for easily building and maintaining IDA functionality, as well as giving users an extremely rich and flexible way to customize and extend IDA; Col. 64, Lines 21-24 - When user-level security is enabled ....; Col. 22, Lines 2-5 - ... Some of the attribute and assignable selections may be disable when the object ...; Col. 3, Lines 19-27 - ... Appearance objects provide icons or representations indicating how the configurable objects are to be depicted ...The placeholder objects identify the sizes, locations, colors, etc., of the icons ... to represent the configurable objects);



Art Unit: 2192

- a process in the base project object configured to signal the at least one flavor object that the base project configuration object needs to be extended; and
- a process in the at least one flavor object configured to generate a flavored base software development project configuration object, wherein at least one configuration property for the base project object is modified by a corresponding flavor-specific project configuration property (e.g., Col. 3, Lines 47-55 - the configurable objects of such an apparatus can be associated with one another in a hierarchical relationship, such that at least one such object is a descendant of another; descendants inherit parameters from their ancestors; inherited information may be overridden)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Dardinski into the Leach-Gupta's system to further provide other limitations stated above in the Leach-Gupta's system.

The motivation is that it would further enhance the Leach-Gupta's system by taking, advancing and/or incorporating Dardinski's system which offers significant advantages that the configurable objects of such an apparatus can be associated with one another in a hierarchical relationship, such that at least one such object is a descendant of another; descendants inherit parameters from their ancestors; inherited information may be overridden as once suggested by Dardinski (e.g., Col. 3, Lines 47-55)

13. **As to claim 9** (Original) (incorporating the rejection in claim 8), Leach discloses the system where said at least one flavor object comprises at least a first flavor object and a second flavor object, and where said aggregator further comprises: a first aggregator for creating an intermediary object by aggregating said first flavor object as a controlling object and said base project object as a participating object; and a second aggregator for creating a flavored project system by using said second flavor object as a controlling object and said intermediary object as a participating object (e.g., Col. 9, Lines 27-30 – to provide a method and system for enclosing objects where an enclosed object can itself be an enclosing object to an arbitrary level of enclosing)

14. **As to claim 10** (Original) (incorporating the rejection in claim 8), Leach discloses the system where said aggregator causes at least one interface of said base project to be modified by said flavor object (e.g., Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object)

15. **As to claim 11** (Original) (incorporating the rejection in claim 10), Leach discloses the system where said aggregator causes a value for at least one property stored in said at least one interface of said base project to be modified by a value for

Art Unit: 2192

said at least one property stored in an interface of said flavor object (e.g., Col. 5, Lines 10-12 – the overriding virtual function can modify the state of the object in a way that affects non-overridden functions; Col. 9, Lines 1-2 – to provide a method and system for dynamically modifying object behavior; Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object; Col. 10, Lines 17-24 – an object can be modified dynamically by allowing interface instances, as implemented by objects, to be aggregated during the execution of a client program)

16. **As to claim 12** (Original) (incorporating the rejection in claim 8), Leach discloses the system where said aggregator causes at least one interface of said base project to be replaced by said flavor object (e.g., Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object)

17. **As to claim 14** (Previously Presented) (incorporating the rejection in claim 8), Dardinski discloses the system wherein said flavored base project configuration object (e.g., Col. 8, Line 57 through Col. 9, Line 2 - The *initFromTemplateStream* interface of

Art Unit: 2192

an assembly object (i.e., a base project configuration object) has one method that controls the initialization of the assembly object from a passed stream; The initialization data is static configuration data along with the initialization data for assembly parameters. Other assembly data, such as ambient properties, can be passed to an assembly via a connection. The initialization data for the assembly parameters is passed in the steam and the static configuration data can be available through the class identifier of the assembly. The assembly can be customized through the parameters) includes an extender interface, said project system further comprising: an extender site object associated with said extender interface (e.g., Fig. 1 – illustrating an assembly object along with its connection to external entities; Col. 4, Line 52 through Col. 5, Line 20 – an external entity connects assembly-2 to assembly-3 by retrieving the reference to a connector of assembly-2 and requesting the connector to export the element identified by index “i1”, represented by plug102a. the external entity then requests connector-3 of assembly-3 to connect assembly-2 through the connection identified by role”r1”, represented by socket 103b)

18. **As to claim 15** (Currently Amended), Leach discloses a computer-readable medium storage for building an extensible project system (e.g., Abstract, Lines 1-4 – the method aggregates an enclosed object within an enclosing object), said computer readable storage medium storing instructions for causing a computer to perform the steps of comprising:

Art Unit: 2192

- providing a base software development project object comprising data for creating a project system (e.g., Col. 9, Lines 9-11 – enclosing an object within another object while exposing an interface of the enclosed object to client of the enclosing object; Col. 9, Lines 27-30 – to provide a method and system for enclosing objects wherein an enclosed object can itself be an enclosing object to an arbitrary level of enclosing; Col.9, Lines 45-46 – implementing controlling behavior over common functionality present in enclosed objects; Col. 10, Lines 9-13 – an enclosed object is implement with knowledge of the external interfaces of the enclosed object and has no knowledge of interfaces (other than the controlling object management interface; Col. 10, Lines 35-38 – during creation, a pointer to the enclosing multi-type object is passed to the object to be enclosed to enable the enclosed object to communicate with the enclosing multi-type object) of the enclosing object or other enclosed objects);
- providing at least one flavor object comprising data for modifying said project system for a specific purpose (e.g., Col. 9, Lines 9-11 – enclosing an object within another object while exposing an interface of the enclosed object to a client of the enclosing object; Col. 9, Lines 13-14 – enclosing an object within another object after the enclosing object is instantiated; Col. 9, Lines 39-42 – supplying default functionality to objects by enclosing them within an enclosing object where an enclosed or enclosing object implements the default functionality; Col. 9, Lines 55-58 – the enclosed object has an object

Art Unit: 2192

management interface and on or more external interfaces, while the enclosing object has a controlling object management interface); and

- creating a flavored software development project system for said specific purpose by object aggregation using said base project object as a participating object and one of said at least one flavor objects as a controlling object (Col. 8, Lines 66-67 – a method and system for aggregating objects; Col. 9, Lines 4-7 – dynamically aggregating objects; statically aggregating objects; Col. 9, Lines 25-26 – implementing an aggregate object so that a client is unaware that the object is an aggregate; Col. 9, Lines 50-61 – the method aggregates an enclosed object within an enclosing object; each interface exposed to a client by the aggregate object has a query function member for receiving an identifier of an interface and for returning a reference to the identified interface; Col. 10, Lines 8-13 (static aggregation), 17-24 (dynamic aggregation); Col. 10, Lines 24-30 – the multi-type object has an add interface function member, which can be used to aggregate interfaces by adding them to the enclosing multi-type object; the multi-type object also has an add object function member for aggregating all of the interface of an object; Col. 10, 34-47 – a preferred method invokes the add interface function member or the add object function member of the enclosing multi-type object passing it a reference to the created object implementing the interface to be aggregated; the query function member of the enclosing multi-type object is invoked in order to retrieve a reference to the interface that has been aggregated).

Further, Leach discloses that in dynamic aggregation, rules for determining to which interface to return a reference can be added to the enclosing object and used by the query function member of the controlling object management interface (e.g., Abstract) but does not explicitly disclose other limitations stated below.

However, in an analogous art of *Building a Custom Project Wizard in Visual Studio .NET*, Gupta discloses the following:

- wherein the base project implements a base software development project configuration object that includes configuration properties for the base project object, the configuration properties comprising at least one of an indication of a build of the project system, an output file to be created, or an indication as to where the output file will be placed (e.g., P. 3, Lines 11, 20 - *OutputPath*)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Gupta into the Leach's system to further provide other limitations stated above in the Leach's system.

The motivation is that it would further enhance the Leach's system by taking, advancing and/or incorporating Gupta's system which offers significant advantages to extend Visual Studio to create a custom project type for new types of applications, or to enforce corporate standards as once suggested by Gupta (e.g., Summary)

Furthermore, Gupta discloses extending Visual Studio to create a custom project type for new types of applications, or enforcing corporation standards (e.g. Summary) but Leach and Gupta do not explicitly disclose other limitations stated below.

However, in an analogous art of *Methods and Apparatus for Controlling Object Appearance in a Process Control Configuration System*, Dardinski discloses the followings:

- wherein the at least one flavor object includes flavor-specific project configuration properties (e.g., Col. 12, Lines 7-17 - ... The Parameter Values in the Modifier Parameterized Objects are used to override the parameters of the Parameterized Object ...; Col. 14, Lines 15-37 - Parameter Override; Col. 39, Lines 19 through Col. 40, Line 56 – COM Architecture in IDA – this is a powerful tool for easily building and maintaining IDA functionality, as well as giving users an extremely rich and flexible way to customize and extend IDA; Col. 64, Lines 21-24 - When user-level security is enabled ....; Col. 22, Lines 2-5 - ... Some of the attribute and assignable selections may be disable when the object ...; Col. 3, Lines 19-27 - ... Appearance objects provide icons or representations indicating how the configurable objects are to be depicted ...The placeholder objects identify the sizes, locations, colors, etc., of the icons ... to represent the configurable objects);
- signaling by the base project object to the at least one flavor object that the base project configuration object needs to be extended; and
- creating, by the at least one flavor object, a flavored base software development project configuration object, wherein at least one configuration property for the base project object is modified by a corresponding flavor-specific project configuration property (e.g., Col. 3, Lines 47-55 - the



configurable objects of such an apparatus can be associated with one another in a hierarchical relationship, such that at least one such object is a descendant of another; descendants inherit parameters from their ancestors; inherited information may be overridden)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Dardinski into the Leach-Gupta's system to further provide other limitations stated above in the Leach-Gupta's system.

The motivation is that it would further enhance the Leach-Gupta's system by taking, advancing and/or incorporating Dardinski's system which offers significant advantages that the configurable objects of such an apparatus can be associated with one another in a hierarchical relationship, such that at least one such object is a descendant of another; descendants inherit parameters from their ancestors; inherited information may be overridden as once suggested by Dardinski (e.g., Col. 3, Lines 47-55)

19. **As to claim 16** (Previously Presented) (incorporating the rejection in claim 15), Leach discloses the computer-readable medium storage where said at least one flavor object comprises at least a first flavor object and a second flavor object, and where said step of creating a flavored project system comprises: creating an intermediary object by aggregating said first flavor object as a controlling object and said base project object as a participating object; and creating a flavored project system by using said second flavor object as a controlling object and said intermediary object as a participating object (e.g.,

Art Unit: 2192

Col. 9, Lines 27-30 – to provide a method and system for enclosing objects where an enclosed object can itself be an enclosing object to an arbitrary level of enclosing)

20. **As to claim 17** (Previously Presented) (incorporating the rejection in claim 15), Leach discloses the computer-readable medium storage where said step of creating a flavored project system comprises allowing at least one interface of said base project to be modified by said flavor object (e.g., Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object)

21. **As to claim 18** (Previously Presented) (incorporating the rejection in claim 17), Leach discloses the computer-readable medium storage where said step of creating a flavored project system comprises allowing a value for at least one property stored in said at least one interface of said base project to be modified by a value for said at least one property stored in an interface of said flavor object (e.g., Col. 5, Lines 10-12 – the overriding virtual function can modify the state of the object in a way that affects non-overridden functions; Col. 9, Lines 1-2 – to provide a method and system for dynamically modifying object behavior; Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override

Art Unit: 2192

the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object; Col. 10, Lines 17-24 – an object can be modified dynamically by allowing interface instances, as implemented by objects, to be aggregated during the execution of a client program)

22. **As to claim 19** (Previously Presented) (incorporating the rejection in claim 15), Leach discloses the computer-readable medium storage where said step of creating a flavored project system comprises allowing at least one interface of said base project to be replaced by said flavor object (e.g., Col. 9, Lines 34-37 – for enhancing a base object's apparent behavior by adding an interface to it that overrides standard behavior of the base object; Col. 25, Lines 3-16 – these combining rules can be used to override the standard behavior of an enclosed base object by providing access to a new implementation of a previously defined interface of the enclosed base object)

23. **As to claim 21** (Previously Presented) (incorporating the rejection in claim 15), Dardinski discloses the computer-readable storage medium wherein said flavored base project configuration object (e.g., Col. 8, Line 57 through Col. 9, Line 2 - The *linitFromTemplateStream* interface of an assembly object (i.e., a base project configuration object) has one method that controls the initialization of the assembly object from a passed stream; The initialization data is static configuration data along with the initialization data for assembly parameters. Other assembly data, such as ambient properties, can be passed to an assembly via a connection. The initialization data for the assembly parameters is passed in the steam and the static configuration

Art Unit: 2192

data can be available through the class identifier of the assembly. The assembly can be customized through the parameters) includes an extender interface, said creation of a project system further comprising: providing an extender site object associated with said extender interface (e.g., Fig. 1 – illustrating an assembly object along with its connection to external entities; Col. 4, Line 52 through Col. 5, Line 20 – an external entity connects assembly-2 to assembly-3 by retrieving the reference to a connector of assembly-2 and requesting the connector to export the element identified by index “i1”, represented by plug102a. the external entity then requests connector-3 of assembly-3 to connect assembly-2 through the connection identified by role “r1”, represented by socket 103b)

### ***Conclusion***

24. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ben C. Wang whose telephone number is 571-270-1240. The examiner can normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached on 571-272-3695. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2192

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ben C Wang/

Ben C. Wang

Examiner, Art Unit 2192

/Tuan Q. Dam/

Supervisory Patent Examiner, Art Unit 2192